

Pick 'n Win

(Version 2.9E Dual)

BOARD DOCUMENTATION





Pick 'n Win

(Version 2.9E Dual)

MANUAL

PICK 'N WIN™ ©2001 AMCOE INC.

| PIN | PARTS SIDE | SOLDER SIDE | PIN |
|-----|--------------------------------------|-------------------------------|-----|
| 1 | VIDEO RED | VIDEO GREEN | 1 |
| 2 | VIDEO BLUE | VIDEO SYNC | 2 |
| 3 | SPEAKER + | SPEAKER - | 3 |
| 4 | STOP 1 | STOP 4 | 4 |
| 5 | STOP 2 | ALL STOP | 5 |
| 6 | STOP 3 | | 6 |
| 7 | TICKET OUT BUTTON - panel | | 7 |
| 8 | TICKET NOTCH - dispenser | | 8 |
| 9 | START | | 9 |
| 10 | STOP 3 | | 10 |
| 11 | PLAY | | 11 |
| 12 | STOP 4 / TAKE | | 12 |
| 13 | STOP 2 / DOUBLE | | 13 |
| 14 | | | 14 |
| 15 | | | 15 |
| 16 | STOP 1 / ALL STOP / HOLD | | 16 |
| 17 | | | 17 |
| 18 | COIN IN | NOTE IN | 18 |
| 19 | SERVICE IN | | 19 |
| 20 | ACCOUNT / PRINTER SET UP | CONFIRM / MONITOR SET UP | 20 |
| 21 | HOPPER PAYOUT - panel | CLEAR / PRINTER PRINT - panel | 21 |
| 22 | | *HOPPER SWITCH - hopper | 22 |
| 23 | COIN IN METER | | 23 |
| 24 | NOTE IN METER | | 24 |
| 25 | | | 25 |
| 26 | | | 26 |
| 27 | HOPPER METER | | 27 |
| 28 | CLEAR / TICKET / PRINTER METER | | 28 |
| 29 | START LAMP | | 29 |
| 30 | STOP 3 LAMP | | 30 |
| 31 | PLAY LAMP | | 31 |
| 32 | STOP 4 / TAKE LAMP | | 32 |
| 33 | STOP 2 / DOUBLE LAMP | | 33 |
| 34 | STOP 1 / ALL STOP / HOLD LAMP | | 34 |
| 35 | | | 35 |
| 36 | GND | GND | 36 |

| PIN | PARTS SIDE | SOLDER SIDE | PIN |
|-----|-------------------------|-------------|-----|
| 1 | GND | GND | 1 |
| 2 | GND | GND | 2 |
| 3 | +5V | +5V | 3 |
| 4 | +5V | +5V | 4 |
| 5 | +12V | +12V | 5 |
| 6 | +12V | +12V | 6 |
| 7 | TICKET DISPENSER ENABLE | | 7 |
| 8 | HOPPER SSR | | 8 |
| 9 | GND | GND | 9 |
| 10 | GND | GND | 10 |


* HOPPER SWITCH - auto detect normal low (mostly micro switch type) or normal high (mostly sensor type)

PICK 'N WIN™ ©2001 AMCOE INC.

New S2000 board

The new S2000 board is a powerful platform designed to give sophisticated performance, special visual effects, finer resolutions, communication capabilities, and to make it a more cost effective investment.

There are 3 communication ports on the board. The RS232C is primarily used to drive printer to print tickets without any interface. It can also be used to download / upload data and instructions from / to PC. The other 2 communication ports (CN1 and CN2) are mainly for linking with other S2000 boards (and to central console with modem, if required). Application such as linking progressive bonus of all the machines together to display on screen in real time can be done efficiently. (SEE MANUAL OF LINKING)



To drive a printer to print ticket, simply connect with a 25 pin one-to-one cable to the serial port of the printer. Printer ticket set up can be done on screen (or download from PC - SEE MANUAL OF PC DOWNLOAD). Go to Account Screen and follow instructions. The following printer settings have to be adjusted on the printer: BAUD RATE = 9600, WORD LENGTH = 8 BITS, PARITY = NO.

MONITOR ADJUSTMENT


The resolutions of S2000 are 33.3% more than that of New Cherry '96. Sync, V-size, V-pos, H-pos,...etc. may have to be adjusted. After reset or existing Confirm Screen, a test screen (as left) will come up.

1/ Dip SW 5 # 1 - "OFF" Korean made (most USA brands) monitor; "ON" Taiwanese made.

2/ Adjust Sync to get a stable picture.

3/ Adjust V-size, V-pos, H-size, and H-pos such that all 4 white corner brackets (right-angle shape) can be seen and are a little bit away from the curving edges of monitor.

4/ Adjust color purity. Most monitors may look fine without further adjusting colors, but a re-adjustment will make sure true color representations, not only for the S2000 board but for all other games.



There are 4 color bands, a gray & white card, and 4 white corner brackets. The 4 color bands are (pure) red, green, blue, and white. Turn brightness on until background is no longer "black" and turn RGB to the lowest. Turn G up until flare comes out (like a shadow going outside the edge) on white; then, reduce gradually until the flare "just" disappears. Do the same thing with R and B one by one. Lastly, reduce brightness until background is "black".

PICK 'N WIN™ ©2001 AMCOE INC.

| DIP SW 5 | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
|--|-------------------------------|--------------------|-------------------------------|-----|-----|-----|-----|-----|-----|
| MONITOR TYPE | KOREAN MADE TAIWANESE MADE | OFF ON | for most monitors used in USA | | | | | | |
| UNIT ID SETUP FOR PROGRESSIVE LINK BONUS (Control board and link cables required. Program must be Link Version.) | NO LINK | | OFF | OFF | OFF | OFF | | | |
| | UNIT 1 | | ON | OFF | OFF | OFF | | | |
| | UNIT 2 | | OFF | ON | OFF | OFF | | | |
| | UNIT 3 | | ON | ON | OFF | OFF | | | |
| | UNIT 4 | | OFF | OFF | ON | OFF | | | |
| | UNIT 5 | | ON | OFF | ON | OFF | | | |
| | UNIT 6 | | OFF | ON | ON | OFF | | | |
| | UNIT 7 | | ON | ON | ON | OFF | | | |
| | UNIT 8 | | OFF | OFF | OFF | ON | | | |
| | UNIT 9 | | ON | OFF | OFF | ON | | | |
| | UNIT 10 | | OFF | ON | OFF | ON | | | |
| | UNIT 11 | | ON | ON | OFF | ON | | | |
| | UNIT 12 | | OFF | OFF | ON | ON | | | |
| | UNIT 13 | | ON | OFF | ON | ON | | | |
| | UNIT 14 | | OFF | ON | ON | ON | | | |
| UNIT 15 | | ON | ON | ON | ON | | | | |
| RESET DEFAULT | Regular | | | | | | | | |
| | Coin=1, Clear=1 | Ten Times | | | | | | | |
| | Coin=5, Clear=100 | Coin=5, Clear=50 | | | | | OFF | OFF | |
| | Coin=25, Clear=100 | Coin=25, Clear=100 | | | | | ON | OFF | |
| NO USE | Coin=5, Clear=100 | Coin=25, Clear=100 | | | | | OFF | ON | |
| | Coin=25, Clear=100 | Coin=25, Clear=500 | | | | | ON | ON | |
| NO USE | MUST BE | | | | | | | | OFF |

All selections are made on screen or by PC DOWNLOAD except those listed in Dip SW 5. Please go to Confirm Screen and following on screen instructions to adjust available selections. Different versions may have different available selections and selectable ranges. Whenever the S2000 board is reset by toggle switch, default settings will be loaded. Check Confirm Screen and make necessary adjustment to suit your operation.

Selections which can be adjusted on screen (NOT for all versions) are as follow:


- LEVEL OF DIFFICULTY:** Default is Level 6.
- COIN IN TO POINT:** It relates to 36 pin edge connector part side 18. 1 pulse in = ? (Only 5 and 25 in Ten Times Version. See Page 4.)
- NOTE IN TO POINT:** It relates to 36 pin edge connector solder side 18. 1 pulse in = ?
- COIN IN LIMIT:** Set the COIN IN limit.
- MIN PLAY TO START:** Min point(s) required to start to play a game.
- MIN PLAY FOR BONUS:** Min points required in order to get bonus features.
- MAX PLAY:** Max points which can be played in a game.
- BONUS BASE:** The base point of progressive bonus.
- BONUS MAX:** The max point of progressive bonus.
- BONUS ACCUMULATE:** Whether progressive bonus is in fixed mode or progressive mode.
- CLEAR / TICKET UNIT:** It relates to 36 pin edge connector part side 28. Each pulse out = ? Point(s).
- TICKET OUT MODE:** It relates to above and regulates max ? pulse(s) out each game. Continuous = no limit.
- USE SCORE:** If yes, "SCORE" will appear on screen. All points won will be collected to "SCORE". Default = NO.
- SCORE OUT:** Manual (default) or Auto.
- TICKET OUT:** It can be Printer Direct*, Ticket Dispenser Direct Drive (TDDD), or Interface.
- SHOW ACCOUNT:** YES or NO.
- LIMIT SCORE PER GAME:** Limit SCORE per game play to 10xplay or an equivalent of \$5 whichever is less.
- PLAY REMAIN SCORE:** Only when "SCORE" appears on screen. Play directly from "SCORE" when no point in POINT column.
- COUNT GAME:** This is an advanced count game feature counting eligible pulses out based on TICKET OUT MODE.
- SKILL SPIN:** A non-stop spinning condition and manual stop is mandatory.
- DOUBLE GAME:** Choose to have it or not.
- PRINTER TYPE:** Use one central printer via Link Control Unit (VIA LINK) or individual printer installed in machine (USE SELF).
- PRINTER COMMAND:** CBM1 (Citizen) (default), ESC/POS (Epson), STAR emulation, Ithaca 70.
- USE PASSWORD:** NO (default), Service Only, Adjust Only, Service and Adjust.
- REEL SPEED:** NORMAL OR SLOW.
- HOPPER UNIT USE:** Use COIN IN or CLEAR / TICKET UNIT as reference.

* When using Printer Direct, please go to Account Screen then Printer Ticket Set Up. Remember to do Printer Ticket Set Up again after reset of board!

IMPORTANT: In order to be able to change selections, you must enter a valid password first. Otherwise, you can only view current selections. Obtain your Access Password from your supplier.

SHADED ADJUSTMENT SELECTIONS ARE NOT AVAILABLE IN TEN TIMES VERSION.

PICK 'N WIN™ ©2001 AMCOE INC.



| | | | | | | | | | |
|-----------------|----------------|-----|-----|-----|-----|-----|-----|-----|-----|
| | RS232C | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Model S2000 | PRINTER PORT & | OFF | OFF | ON | OFF | OFF | ON | OFF | OFF |
| Model S2000 A/B | PC DOWNLOAD | OFF | ON | OFF | ON | OFF | OFF | OFF | OFF |

*PRINTER: BAUD RATE = 9600, WORD LENGTH = 8 BITS, PARITY = NO.
 (Dip SW settings of Citizen iDP3540/3541 = DS1 # 1,8 ON; DS2 # 2,5,6,7 ON)
 (The alarm light of 3550/3551 has to be ON all the time in order to print. With above settings and program version 2.0~, 3540/3541/3550/3551 alarm light can be ON all the time)
 In Printer Ticket Set Up, there are 3 entries which need to be done carefully. (Others are mainly text messages.)

POINT VALUE: It is the \$ value of each point. Immediately after reset, program will detect coin in setting and use the following COIN MODE table to assign the \$ value of each point. It can be changed if not using LIMIT SCORE.

TICKET LIMIT: Default is \$00.00, meaning no limit. The maximum \$ value of a single ticket can be limited from \$1 to \$99. (CAUTION: do not set TICKET LIMIT-except \$00.00-less than POINT VALUE.)

PRINT \$ OR POINT ON TICKET: Select between DOLLAR or POINTS (default).

Adjust Ticket Setting and Game Setting by PC DOWNLOAD


S2000 PC DOWNLOAD PROGRAM is distributed FREE. It runs on PC with Windows 95/98. You may obtain a free copy on a 3.5" disk or by downloading it from the internet*. A HELP file will come up the first time you use it after installation. You will find all necessary information on how to adjust BOTH Ticket Setting and Game Setting of your board by PC. PC Download Program will be especially useful in printer ticket set up. Typing name, address, machine number....etc. will be much faster on a computer than through on screen input. On your S2000 board, go to Account Screen and press <DOUBLE> to go to PC download mode. Also, remember to set Dip SW S1 (near RS232C port) of your board to PC download mode during PC download. Press <TAKE> to exit PC download mode.

* <http://www.amcoe.com>


| COIN MODE | COIN IN SETTING | BILL ACCEPTOR SELECTION | | \$1 = ? POINTS | LIMIT SCORE |
|----------------|-----------------|-------------------------|----------------|----------------|--------------------|
| | | \$1 = 1 PULSE | \$1 = 4 PULSES | | MAX \$5 = ? POINTS |
| \$1 = 1 PT. | 1 | YES | | 1 | DO NOT USE |
| \$0.50 = 1 PT. | 2 | YES | | 2 | 10 |
| \$0.25 = 1 PT. | 1 | | YES | 4 | 20 |
| | 4 | YES | | | |
| \$0.10 = 1 PT. | 10 | YES | | 10 | 50 |
| | 5 | | YES | | |
| \$0.05 = 1 PT. | 20 | YES | | 20 | 100 |
| | 25 | | YES | | |
| \$0.01 = 1 PT. | 100 | YES | | 100 | 500 |
| | | | YES | | |

Ticket Dispenser Connection Diagram

DL-1275 (verify pinouts on manual of ticket dispenser)



Hopper Connection Diagram



PICK 'N WIN™ ©2001 AMCOE INC.

PICK 'N WIN™ is a 2 line 4 reel game. It is simple and straightforward to the player. It consists of a main game and a double game. At a non-winning hand, if there are two or three similar symbols, player can hold them and keep on playing to get one to two line win. There is no limit as to how many games the player can continue to hold and spin. Each spin is considered a new game and requires wager.

Progressive / Link Bonus: 3 Bonus Symbol in line. (Automatically changed to LINK BONUS when linking.)

Free Games: 1 Bonus Symbol = 7 free games. 2 Bonus Symbol = 14 free games. 3 Bonus Symbol not in line = 21 free games. 3 Red Bar in line = 9 free games. 3 Blue Bar in line = 11 free games. 3 Green Bar in line = 13 free games. (Player can still hold during free games.)


The Double Game is an interesting Wheel Spinning Game.

PICK 'N WIN™ ©2001 AMCOE INC.

PUSH BUTTON LEGEND



SHARE BUTTONS



EXTRA BUTTONS

